

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **TM DESANA MAX FP**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses disinfectant
cleaning agent
biocide

Uses advised against do not use for squirting or spraying
do not use for products which come into direct contact with the skin

1.3 Details of the supplier of the safety data sheet

Thonhauser GmbH
Perlhofgasse 2/1
2372 Giesshübl/Wien
Austria

Telephone: +43 (0)2236 320 272
Telefax: +43 (0)2236 320 273
e-mail: QA@thonhauser.net
Website: www.thonhauser.net

Competent person Herr Dr. Daniel Herzog
e-mail (competent person) QA@thonhauser.net

1.4 Emergency telephone number

Emergency information service **+43 (0)1 406 43 43 24h**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

GHS chapter	-	Hazard class and category	-	Hazard statement code(s)
2.16		corrosive to metals	Cat. 1	(Met. Corr. 1) H290
3.2		skin corrosion/irritation	Cat. 1A	(Skin Corr. 1A) H314
3.3		serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1) H318
3.4R		respiratory sensitisation	Cat. 1	(Resp. Sens. 1) H334
3.4S		skin sensitisation	Cat. 1	(Skin Sens. 1) H317
3.8R		specific target organ toxicity - single exposure (respiratory tract irritation)	Cat. 3	(STOT SE 3) H335

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS07,
GHS08



Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Precautionary statements - storage

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
-----------	--

Hazardous ingredients for labelling:

disodium peroxodisulphate, sodium hydroxide, tripotassium orthophosphate

2.3 Other hazards

There is no additional information.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17




SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
sodium hydroxide	CAS No 1310-73-2 EC No 215-185-5	50 - < 75	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
potassium nitrate	CAS No 7757-79-1 EC No 231-818-8	5 - < 10	Ox. Sol. 3 / H272	
disodium peroxodisulphate	CAS No 7775-27-1 EC No 231-892-1	5 - < 10	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Brush off loose particles from skin. - Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential. Corrosive to metals.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains. - Take up mechanically.

Advices on how to clean up a spill

Take up mechanically. Collect spillage (sawdust. , kieselgur (diatomite), sand, universal binder). Absorbents and binders, neutralising agents.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Appropriate containment techniques

neutralisation techniques

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Incompatible substances or mixtures: see section 7. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- **Measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- **Warning**

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- **Handling of incompatible substances or mixtures**

Do not mix with acids.

- **Keep away from**

(alkalis)

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- **Explosive atmospheres**

Removal of dust deposits.

- **Corrosive conditions**

Store in corrosive resistant container with a resistant inner liner.

Incompatible substances or mixtures

Floors

The materials shall display sufficient resistance to the prevalent chemical conditions(Caustic solutions)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

- **Protect against external exposure, such as**

frost

- **Consideration of other advice**

Observe technical data sheet

Lagerklasse (storage class according to TRGS 510, Germany): 5.1 B (oxidising substances)

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Floors: The materials shall display sufficient resistance to the prevalent chemical conditions (Caustic solutions).

- **Packaging compatibilities (Receptacles / Material)**

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

These information are not available.

7.4 Other information

Recommended storage temperature: 15-25 °C.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
UK	sodium hydroxide	1310-73-2	WEL				2	EH40/2005
UK	dust		WEL		10			EH40/2005
UK	dust		WEL		4			EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

- **relevant DNELs of components of the mixture**

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
potassium nitrate	7757-79-1	DNEL	20.8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
potassium nitrate	7757-79-1	DNEL	36.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
disodium peroxodisulphate	7775-27-1	DNEL	18.2 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
potassium nitrate	7757-79-1	PNEC	0.45 mg/l	aquatic organisms	freshwater	short-term (single instance)
potassium nitrate	7757-79-1	PNEC	0.045 mg/l	aquatic organisms	marine water	short-term (single instance)
potassium nitrate	7757-79-1	PNEC	18 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
potassium nitrate	7757-79-1	PNEC	4.5 mg/l	aquatic organisms	water	continuous
disodium peroxodisulphate	7775-27-1	PNEC	0.0763 mg/l	aquatic organisms	freshwater	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	0.011 mg/l	aquatic organisms	marine water	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	3.6 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	0.275 mg/kg	benthic organisms	sediments	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	0.0396 mg/kg	pelagic organisms	sediments	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	0.015 mg/kg	terrestrial organisms	soil	short-term (single instance)
disodium peroxodisulphate	7775-27-1	PNEC	0.763 mg/l	aquatic organisms	water	continuous

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- **hand protection**

Wear protective gloves.

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Colour	different
Odour	characteristic

Other physical and chemical parameters

pH (value)	
Melting point/freezing point	not determined
Initial boiling point and boiling range	1,390 °C
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	
Explosion limits of dust clouds	not determined
Vapour pressure	not determined
Density	not determined
Relative density	Information on this property is not available.
Solubility(ies)	not determined
Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Oxidising properties none

9.2 Other information

Solvent content 0 %

Solid content 98.6 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". corrosive to metals

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
disodium peroxodisulphate	7775-27-1	oral	1,200

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

- **Specific target organ toxicity - single exposure**

May cause respiratory irritation.

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium hydroxide	1310-73-2	EC50	40.4 mg/l	aquatic invertebrates	48 hours
potassium nitrate	7757-79-1	LC50	1,378 mg/l	fish	96 hours
potassium nitrate	7757-79-1	EC50	490 mg/l	aquatic invertebrates	48 hours

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
potassium nitrate	7757-79-1	EC50	490 mg/l	aquatic invertebrates	24 h
potassium nitrate	7757-79-1	ErC50	>1,700 mg/l	algae	10 d

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Relevant provisions relating to waste

List of wastes

Assign arising waste to a waste code according to the national list of waste.

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	3262
14.2	UN proper shipping name Hazardous ingredients	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. Sodium hydroxide, Potassium nitrate
14.3	Transport hazard class(es) Class	8 (corrosive substances)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3262
Proper shipping name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Class	8
Classification code	C6
Packing group	II
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80

• International Maritime Dangerous Goods Code (IMDG)

UN number	3262
Proper shipping name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Class	8
Packing group	II
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	B
Segregation group	18 - Alkalis

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

• **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number	3262
Proper shipping name	Corrosive solid, basic, inorganic, n.o.s.
Class	8
Packing group	II
Danger label(s)	8



Special provisions (SP)	A3, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 0.046 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 0 %

National regulations (Austria)

- **Ordinance on combustible liquids (VbF)**

VbF (group and hazard class): not applicable

Physical state: not liquid.

National regulations (Switzerland)

Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation):

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	corrosive to metals
Ox. Sol.	oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Resp. Sens.	respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM DESANA MAX FP

Version number: GHS 1.0

Date of compilation: 2015-06-17

Abbr.	Descriptions of used abbreviations
STOT SE	specific target organ toxicity - single exposure
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
VbF	ordinance on combustible liquids (Austria)
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 453/2010/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	may intensify fire; oxidiser
H290	may be corrosive to metals
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H319	causes serious eye irritation
H334	may cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	may cause respiratory irritation

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.